



Product overview.



ebmpapst

The engineer's choice

Symbols that define standards.



Green through and through.

In order to underline our philosophy, efforts and achievements when it comes to environmental protection, we have put them all in a nutshell with GreenTech. The benefits of GreenTech mesh with one another from the initial development of our products through to their use – and they form a circuit that finishes right where it began: with the philosophy that we shall soon build another, even more eco-friendly and economical product.

Philosophy:

Each new development must exceed the economic and ecological performance of its predecessor.

Development:

Materials, products and processes are selected and designed in an environmentally responsible manner using state-of-the-art methods.

Production:

State-of-the-art energy, air-conditioning and ventilation technology provides maximum energy efficiency in our plant.

Awards:

Environmental prizes, distinctions and energy efficiency that beats even the most stringent limits speak for themselves.

Application:

Our high-efficiency products use GreenTech EC technology and boast enormous energy savings with top performance.



For fans with an input capacity of greater than 125 W, the new European Energy-related Products Directive (ErP) to improve energy efficiency will enter into force in 2015 at the latest. Thanks to groundbreaking GreenTech EC technology, all of our ebm-papst fans and motors in these performance classes exceed the ErP Directive even today.

Three competence centres, one outstanding worldwide product range.

The ebm product portfolio now numbers over 14,500 products. This is how we can offer the right solution for almost every air technology and drive engineering task. And if not, we will develop a new one together with you. This is made possible by our over 500 extremely dedicated engineers and technicians who work for us – and for you – at our three central locations in Germany.

Mulfingen – our cooling headquarters.

Our largest location and the home of our corporate headquarters specialises in ventilation, air-conditioning and refrigeration technology. A steady stream of new and outstanding product innovations originates from here. Thus Mulfingen, like St. Georgen, is a pioneer and protagonist in developing the high-efficiency GreenTech EC technology, which is making advances in an increasing number of areas. This is no wonder, as it is far superior to conventional AC technology – quiet, intelligent and environmentally responsible in operation and ruthless when it comes to saving money.

St. Georgen – we are big on SMALL.

Our miniature drives have become a fixture in many industries, and our compact fans for electronics cooling are legendary. At our location in St. Georgen, the emphasis is on the highest quality, even for the smallest applications. Thus we have earned our worldwide reputation as a trendsetter in IT and telecommunications as well as an innovative development partner in the areas of medicine, automotive engineering and industrial automation. We want to not only maintain this position, but continue to expand it by always offering new innovations.

Landshut – where high-tech becomes home tech.

In Landshut, our primary line of business is providing the right temperatures in the home. We do so with applications such as those for gas and oil-fired heaters, for fuel cells, clothes dryers, refrigerators and freezers. You, too, may have up to 20 ebm-papst products in your home, providing faithful service. Because they do so almost silently and with maximum reliability, you will probably not notice them much – except when you are astonished at how low your energy bill is. After all, they also feature exceptional energy-saving performance.



ebmpapst


Three core competencies,
one unmatched synergy.



The exceptional system solution needs three things


Innovative motor technology:

Our external rotor motor has long been well known among specialists – quiet, powerful and continuously evolving, it has made us the world market leader. With its remarkable versatility for integration, it is ideally suited to the most diverse applications. Which has given us the world's widest range of fan and motor types – perfectly complemented by our internal rotor motors for dynamic applications or particularly chemically aggressive air.




Intelligent electronics:

The brain of every state-of-the-art system solution. With the electronics as the controlling element, the drive engineering and aerodynamics are matched perfectly and deployed in a manner customised to the application – manually controlled or automated. Altogether, the result is high-quality end products from a single source – from highly focused electronics cooling to the energy-saving heating system.



Aerodynamics that thinks along with you:

The optimum shape is essential, whether for axial or centrifugal fans, centrifugal blowers, compact fans or tangential blowers. Therefore, we always design fan blades, impellers and ducted housings in the corresponding application-specific environment. Only in this way do we attain the greatest possible efficiency with maximum noise reduction. In short: Aerodynamics in perfection.



Our innovative technologies keep on turning into new industrial standards. Our advantage: We consider aerodynamic relationships as a whole. This is why we combine benchmark-setting motor technology with the intelligence of state-of-the-art electronics and aerodynamically optimised shapes. The system solutions that result from these three core competencies have a synergy that is unique in all the world and make up the majority of our product line. And they will be our main key to success.



GreenTech EC technology: our motor for the future.

Virtually our entire product range is now available with GreenTech, the groundbreaking EC technology. The reason is simple: The future belongs to GreenTech EC motors from ebm-papst! There are likewise many reasons for this, including the wear-free and maintenance-free performance, the long service life, the noise reduction, the intelligent electronic control, the high efficiency and the ultimate result of all of these: unparalleled energy efficiency with an average savings of 30% – in many areas even up to 80% – compared to conventional AC technology. And if you need yet another reason: Nobody has more experience in GreenTech EC technology than ebm-papst.

Passion, quality, responsibility: three more reasons for our success.

Only real passion for fans and motors makes the highest level of achievement, such as that accomplished time and again by ebm-papst, possible. With a clear organisational structure, flat hierarchies and a high degree of personal responsibility, we create the perfect foundation – not only for technological innovation, but also for excellent service and active dedication to being close to our customers.


Of course, our products are also produced with the highest quality – at a total of 17 production sites worldwide. Our quality management is uncompromising, everywhere and in every process stage. This is also confirmed by our fulfilment of the international standards DIN EN ISO 9001, ISO/TS 16949-2 and the DIN EN ISO 14001 standard.

Naturally, we also keep the environment in mind throughout all our efforts. With our corporate conviction of continuous economic and ecological improvement and our GreenTech environmental label, we could not set the bar any higher for ourselves. And we exceed it with every new product. This gives our customers the assurance of remaining state-of-the-art for a long time to come – even many years from now.

Speaking of the future: ebm-papst also supports young people who are enthusiastic about technology with numerous projects and educational opportunities. So that products “Made by ebm-papst” also remain the choice of engineers tomorrow!



Axial fans.



ebm-papst's axial fans prove their reputation as space-saving wonders by moving air for hot or cold air exchange in a wide variety of devices and systems. Their outstanding features are their small installation depth, low noise level and exceptional efficiency, and they are particularly well suited for air flow through heat exchangers. Furthermore, in EC design, they become intelligent energy savers for an extremely wide range of applications.

One principle, countless options.

The axial fan, the function of which is similar to a propeller, moves the air axially, parallel to the revolving motor shaft. The ebm-papst external rotor motor is integrated directly into the axial impeller, forming a compact axial fan unit. Moreover, using GreenTech EC motors also enables precision control of the air flow – they are available with tachometer output, linear or PWM input, bus-connectable interfaces and many other features. They are usually installed with wall rings in short or long nozzles.

AxiTop: the whisper-quiet powerhouse.

The breakthrough for greater efficiency and lower noise: Our AxiTop diffuser provides a significant improvement of efficiency and reduces operating noise at the same time. Its pressure-boosting effect minimises exit losses and makes it easier to adapt the fan to commercially available heat exchangers. The use of the diffuser converts a large part of dynamic speed energy into static pressure.

This dramatically increases efficiency. This makes it possible to rev down and thus reduce the noise by up to 7.2 dB(A) and provides energy savings of up to 27%. Existing installations can also be retrofitted without redesigning the application. For this, the AxiTop diffuser was awarded the "ASERCOM Energy Efficiency Award".

All the facts at a glance:

- Compact dimensions
- Available in GreenTech EC technology or AC technology
- Wide selection of models, dimensions and air performance levels
- Optimum efficiency and noise level due to well-engineered aerodynamic design of the fan blades
- High-efficiency, energy-saving designs in GreenTech EC technology with standardised integration of control functions and sensor signals
- Wide range of accessories, including guard grilles, basket guard grilles and wall ring
- The axial fan is dynamically balanced in two planes to DIN ISO 1940
- Numerous approvals, including VDE, UL, CSA, CCC and GOST
- Applications: ventilation, air-conditioning and refrigeration technology, automotive industry, wind power plants and mechanical engineering/finishing equipment industry

Technical values

Voltage:	100–480 VAC
	12–110 VDC
Air volume:	1–65,000 m ³ /h
Power input:	1–12,000 W
Operative range:	up to 350 Pa



Axial fans.

The best example: *HyBlade®*.


An outstanding example of the continuous further development and improvement of our products is HyBlade® – a one-of-a-kind material composite developed specifically for large axial fans. HyBlade® brings the benefits of two opposite materials to their least common denominator: maximum efficiency.

For one, a carrier made of aluminium provides high stability. For another, the attached sleeve made of fibreglass-reinforced plastic permits completely free mouldability of the blades. Where metal can be machined only by bending, stamping and punching, fan blades with the HyBlade® structure can be optimised down to the details, for example using winglets on the wing tips, like those that provide greater lift for aeroplanes. For the HyBlade® they enable even higher

aerodynamic efficiency – with minimum weight and revolutionary noise reduction. In conjunction with our highly efficient, groundbreaking motors with GreenTech EC technology, HyBlade® fans become real energy-saving wonders.

No wonder then, that HyBlade® has also become an international sensation. For example, in early 2008, our product innovation received the iF material award (iF International Forum Design GmbH), the renowned prize for outstanding material solutions.

HyBlade® fans are available in many familiar sizes and with standardised interfaces. This makes it particularly easy to switch to our light-weight fans.




New Benchmark

Efficiency values that seem to be from another planet: the HyBlade®

Centrifugal fans.





Centrifugal fans from ebm-papst are available with forward or backward curved blades. The low-noise centrifugal fans and blowers with forward curved blades are also supplied with a scroll housing. The centrifugal fans with backward curved blades are designed for operating without a scroll housing. For the centrifugal fans with external rotor motors, the motor is positioned in the impeller, which results in an especially compact design in addition to optimal cooling of the motor. The entire product line is available in both AC and GreenTech EC technology.

Turn down the volume, turn up the power.

The outstanding feature of our centrifugal fans with forward-curved blades is their minimum noise level and high power density. They are used wherever a large air volume has to be moved in a tight space. To adapt to the aerodynamic and geometric requirements, the impellers are arranged in single-inlet or dual-inlet form. To optimise the efficiency, in addition to the voltage-controlled asynchronous motors, the particularly efficient GreenTech EC motors are used. Thus both drive types are available over the entire power range.

Compact but packed with power.

The PlugFan series for applications in the medium pressure range is available in the sizes from 250 to 1,250 mm with a drive output up to 12 kilowatts. All RadiPac fans are equipped with GreenTech EC Motors and, even today, exceed the minimum requirements of the Ecodesign Directive for fans. The designation “RadiPac” is based on the word “packaged”. This means that all functions are already integrated. For example, all fans of this series with an input power greater than 500 watts are equipped as standard with MODBUS and 0–10 V acti-

vation. The mechanical structure in the cube shape is implemented for sizes over 400. The familiar “spider” suspension mount is available up to size 560. In addition, all sizes can also be ordered in a floor-mounted version. Thus the RadiPac fans are suitable not only for use in the air-conditioning and ventilation industry, but also for many other application areas.

All the facts at a glance:

- AC and EC centrifugal fans with forward-curved blades
- “RadiCal” AC and EC low-pressure fans
- “RadiPac” EC medium-pressure fans
- Compact design with external rotor motor technology
- Comprehensive series for every application
- 100% speed-controlled through analogue or serial interface
- High efficiency through use of GreenTech EC technology
- Quiet operation thanks to optimised flow regulation and ingenious commutation of the EC motor
- Easy commissioning with components matched to each other: control/motor/fan
- Extensive range of accessories

Technical values

Voltage:	100–480 VAC, 50/60 Hz 12, 24, 48 and 110 VDC
Air volume:	1–30,000 m ³ /h
Power input:	1–12,000 W
Operative range:	up to 2,000 Pa

Centrifugal fans.

The best example: *RadiCal.*

Where HyBlade® is for axial fans, RadiCal is for centrifugal fans: another breakthrough in ventilation and air-conditioning technology. The radical features are both the noise reduction and the additional reduction of energy consumption. As with the HyBlade®, the fan impeller of the RadiCal is made of fibreglass-reinforced plastic. This enables an aerodynamically optimised shape, which cuts the noise level in half and reduces the power requirement significantly.

We have also evolved the GreenTech EC motors or, more specifically, have miniaturised them. This gives the fans significantly more compact dimensions, allowing them to replace existing AC fans without any problems. In conjunction with optimised motor thermal management and increased efficiency, this provides energy savings of up to 50% compared to AC solutions. Thus the RadiCal not only meets all existing environmental directives with ease, but is also ideally equipped for the future.

RadiCal fans from ebm-papst are available in various sizes and power stages for an extremely wide variety of applications – by request, also as ready-to-install modules.





The new heat pump champion
Unparalleled efficiency and quiet
performance: the RadiCal

Fans.

Axial, centrifugal or diagonal – all point the way towards the future.

Fans from ebm-papst, which have long been the standard in electronics cooling, are available in 3 designs:

Our **axial compact fans** are suitable for high air performance with moderate pressure build-up. The flow of air through the fan blades is parallel to the rotation axis. The space-saving integration of the motor makes them extremely flat.

The **centrifugal compact fans** from ebm-papst are the undisputed high-pressure specialists with 90° air deflection and aerodynamically optimised impellers.

For our **diagonal fans** the outflow is diagonal. This compresses the air more – for a higher air flow at high pressure build-up. This makes them particularly well suited for cooling-intensive applications in tightly spaced components.

For each type, ebm-papst offers a large selection of fans, which are available in AC, DC or GreenTech EC design, for all voltages and in all standard sizes. With electronics built-in at the factory, they also offer numerous additional options and can be networked intelligently with the corresponding device logic.

All the facts at a glance:

- Space-saving installation with compact, flat design
- Large selection of sizes and installation depth
- Available in AC or in energy-saving, efficient DC technology
- New ACmaxx generation in GreenTech EC technology and with very high energy savings and longer service life compared to conventional AC fans
- Efficient drives, some of them multi-pole and with 3-phase drives
- State-of-the-art impellers with winglets and sickle-shaped blades for low noise and high efficiency
- High reliability and service life
- Wide variety of monitoring and control functions enable customer-oriented and demand-oriented fan operation
- Various protective mechanisms against ambient influences such as dust, humidity, water and salt
- Safety included: approvals to VDE, UL, CSA, CE and CCC
- Applications: telecommunications, control cabinet cooling, frequency inverters, solar inverters, medical technology, household appliances, automotive engineering





Technical values

	Axial compact fan	Diagonal compact fan	Centrifugal compact fan
Voltage:	5–72 VDC, 115–230 VAC	9–72 VDC	8–48 VDC, 115–230 VAC
Air volume:	2–1,220 m ³ /h	250–1,100 m ³ /h	10–1,600 m ³ /h
Power input:	0.5–150 W	20–300 W	2–165 W
Operative ranges:	up to 1,400 Pa	up to 1,500 Pa	50–1,600 Pa

Fans.



The strong, silent type
Outstanding performances
without a fanfare: the DV 6300

The best example: *DV 6300.*

Diagonal compact fans are the first choice for high air performance in compact space. The new fans of the DV 6300 series from ebm-papst St. Georgen go even one step further. With their electronically controlled S-Force motor, they offer many additional functions such as temperature regulation, active motor cooling and filter monitoring with signal output for the filter change.

Do more with less: Though the DV 6300 is only 51 mm deep with a diameter of 172 mm, it generates a flow rate of up to 1,100 m³/h. That is as much as 57% more than for the predecessor model. Thanks to high-efficiency GreenTech EC technology and aero-improvements, the sound pressure was able to be lowered radically, namely by 8 dB(A). To the human ear, therefore, the DV 6300 is less than half as loud. That's something to talk about – or perhaps it would be more appropriate to whisper.

The new series also gets the highest grades in reliability. The high-performance S-Force motor, with 350 W and an efficiency of 85 %, is designed for a long service life in all components at rated output. That makes the fan series particularly well suited for applications with high endurance loads, such as for motor frequency inverters and switch cabinet cooling, printing machinery and heat exchangers. However, the fans can also cope ideally with the more varied cooling air requirements in IT and telecommunications or operation in inverters for wind power plants.



Motors and drive systems.



AC motors:

As capacitor motors in two- or four-pole design or as asymmetric two-pole shaded-pole motors for low-torque applications, our AC motors offer proven technology for an extremely wide variety of applications.

DC motors:

The mechanically commutated direct current motors in internal rotor design offer not only high cost-effectiveness, but also reliable technology, good motor dynamics and a wide speed range. Supplemented by the gear product range, complete solutions can be realised for almost all drive tasks.

EC motors:

Our electronically commutated motors are available in various series and performance classes as internal and external rotor motors. They also feature outstanding high efficiency and thus low energy consumption. Additional advantages include: high motor output from a compact installation space, good control characteristics in a wide speed range and high torque stability with virtually silent running. Their outstanding dynamic characteristics allow our EC internal rotor motors to be also used as servomotors. With integrated or external operating electronics, they can be configured as anything from a simple, speed-controlled motor to a communications-enabled CANopen drive system.

All the facts at a glance:

- Comprehensive motor range for almost all drive applications:
 - AC or direct current motors
 - Internal or external rotor motors
 - Mechanically or electronically commutated
 - EC motor with integrated or external operating electronics
- System solutions including gearbox, brake and speed sensors
- Communications-enabled drives with bus interface
- Customer-specific motor solutions, motor part sets and drive subassemblies
- Power steering drives, drives for clutch actuators and various pumps in the area of gearbox lubrication and exhaust gas treatment

Technical values

Voltage:	115–400 VAC, 12–60 VDC
Torque:	0.01–25 Nm
Power output:	1–1,500 W
Speed:	up to 30,000 rpm

The best example: *ECI 63.*

Whether for packing and sorting machines, in the textile industry or medical technology, custom drive solutions are required everywhere – while also providing the lowest possible development and maintenance costs and fast availability. Our solution: the modular ECI 63 drive series, a one-of-a-kind modular system that enables you to put together a custom drive that suits your needs perfectly – including the motor, gearbox and brake as well as the rotary encoder and electronics. Select what you need, and we will assemble and deliver it in almost no time. As your requirements grow, the motor simply grows along with them, as the shaft in open design brought out on the rear makes installing additional modules no problem.


The connection system is also thought through to the smallest detail: intermediate bottoms designed with load-bearing capacity provide a seamless connection, where the modules are joined together mechanically. An ingenious system allows the winding connections to be simply through-connected to the electronics located behind them. The modules fit together perfectly and the dimensions remain compact. To this are added the advantages of the intelligent and groundbreaking GreenTech EC technology. Thanks to standardisation, this comes with an excellent price-performance ratio.



Our little genius

Smart modular system:
the ECI 63 modular drive

Tangential blowers.



Stove jacket cooling, thermal storage heaters, wood-burning stoves, overhead projectors, tanning beds, climate control systems and heating units: All these applications share the need for ventilation with a low overall height and high air flow at low flow rates. The ideal solution: Tangential blowers from ebm-papst. They feature exceptionally high air flow with very good noise characteristics.

Stable output for every need.

Depending on the specific application, tangential blowers are available with asymmetrical shaded-pole motor, capacitor motor or GreenTech EC motor with integrated commutation electronics (including tach output and PWM or analogue output). For the GreenTech EC motors, a higher speed can be selected than for shaded-pole and capacitor motors, for example to overcome higher counterpressure. Using corresponding sensor technology, the tangential blower with GreenTech EC technology configures the necessary operating points automatically and provides the exact air volume needed.

All the facts at a glance:


- Low noise at high air flow and low back pressure
- High air flow at low flow rates
- Good contact of cooled ducts and surfaces with cold air due to the expanded width of the exhaust surface
- Very flat design
- Moisture-protected versions, for example for refrigeration technology
- GreenTech EC motors mean higher speeds than AC motors
- Performance adaptation via PWM signal or 0–10 V analogue voltage

Technical values


Voltage:	100–400 VAC, 24 VDC
Air volume:	18–420 m ³ /h
Power input:	5–72 W
Operative range:	8–165 Pa

The best example:
*Tangential blowers with
size 43 GreenTech EC motor.*

In large tangential blowers – such as those used for underfloor convection heating or air curtains – our newly developed size 43 motor with groundbreaking GreenTech EC technology is used. The motor features outstandingly high efficiency and virtually silent operation. In addition, operating electronics that are tuned exactly to the motor offer individual and precision control options.



System solutions for heating engineering.



Compact design, low air flow, particularly high counterpressure – ebm-papst centrifugal blowers for heating engineering fulfil optimally all requirements of gas condensing boilers, gas-fired boilers, gas and oil burners, fuel cells and other applications. You will always find the right blower in our extensive product range – whether for gas-fired units with the smallest output or large heating boiler outputs.

The optimum mix.

For an optimal burning process in condensing boilers, maintaining an exact mixing ratio of gas to air is critical for low NO_x emissions. Centrifugal blowers in GreenTech EC technology are the ideal solution, as they combine very good control characteristics with smooth running and high efficiency.

A keyword related to energy savings is modulation, the smooth control between the lowest and maximum possible heat output. Energy yield can also be improved by modulated condensing boiler operation; that is why the blowers are equipped with an interface to the speed output and control system. Controlling the speed is not enough to achieve a modulation degree of 1:10. Additional components, such as a gas valve, burner controller, multi-venturi and mass flow sensor have to be matched perfectly with each other in the group. We made this requirement our challenge.

That is why our centrifugal blowers are available complete with gas valve, burner controller, venturi and/or mass flow sensor. As always, this is the concrete promise we make: The end result is not just a specific system; rather, it is a solution with a systematic improvement in efficiency.

All the facts at a glance:

- Ideal for high pressure in condensing boiler technology
- Smallest installation space at high counterpressure
- GreenTech EC motors with PWM control input, line control input and tach output
- Easy installation of customer connections
- Large product selection – for gas-fired units with the smallest output up to large heating boiler outputs
- Smooth running
- High modulation degree

Technical values

Voltage:	115 VAC, 230 VAC, 24 VDC
Air volume:	50–1,500 m ³ /h
Power input:	20–860 W
Pressure increase:	up to 4,000 Pa
Heat output:	0.5–1,000 kW

The best example: *NRV118 with venturi.*

This system, consisting of a blower, gas valve and venturi, is intended for use in condensing boilers. It is based on the NRG118 premix blower, which has been a staple in heating technology for a long time. The components for the gas-air mixture ratio are matched to each other perfectly in this unit. The optimised combustion allows high-efficiency heat output of the energy stored in the gas. Another positive effect is the decrease in the portion of toxic nitrogen oxides in the exhaust. Reducing pollution was not the only goal when developing the NRV118; minimising noise emission was also a priority.

A high-efficiency EC GreenTech motor ensures smooth running. Undesirable internal vibrations are reduced, thereby minimising the transmission of mechanical vibrations, which proves to be particularly problematic for heating systems. An optional integrated mass flow sensor in conjunction with a venturi nozzle and "GasBloc" pneumatic gas valve maintains a constant fuel/air mixture, regardless of atmospheric pressure or chimney suction. Maximum efficiency and environmental performance.



Hot-air blowers.



Whether in kitchen stoves, ovens, climate-controlled cabinets, food and plate warmers or in medical devices, sterilisation units and drying ovens: ebm-papst hot-air blowers provide perfect air performance in both household and commercial applications. They render extremely quiet and reliable service.

Reliability in AC technology.

We rely on tried-and-tested shaded-pole motors for our hot-air blowers for ovens in domestic environments. In these cases, the hot air impeller is made of either stainless steel or die-cast aluminium, sometimes with a catalytic coating. Especially practical: Thanks to a special bearing bracket, the motor can also be installed outside the baking chamber to protect it from heat.

All the facts at a glance:

- Ready to install
- Impellers made from stainless steel or die-cast aluminium
- Temperatures of 120 °C to 500 °C for short periods (pyrolytic self-cleaning)
- Long service life

Technical values

Voltage:	115–400 VAC
Air volume:	100–200 m ³ /h
Power input:	30–45 W
Operative range:	up to 450 Pa

The best example:
RRM 42 for pyrolytic ovens.

Pyrolytic ovens are a real benefit to cleanliness. Though they relieve the housewife or househusband of messy work, the hot-air blower does not get any relief at all. It must withstand temperatures up to 500 °C over a lengthy period of 1–2 hours without any decrease in output or function. Our RRM 42 hot-air blower has been developed for exactly this challenge, which it passes with flying colours – thanks to an exceptionally strong insulation, which provides ideal protection to the motor.



Pumps.



For climate control systems, beverage tapping units, washing machines, condensing clothes driers and industrial applications, ebm-papst develops specifically designed pumps: submersible circulation pumps for supplying low-viscosity media such as water, condensate, soap-and-water mixtures or for circulating cooling agents in beverage tapping units; dosing pumps for dispensing high-viscosity media with high precision such as liquid detergent, fabric softener, oils, paint, chemicals, etc.

All-round specialists.

Pumps come into contact with an extremely wide variety of media. The requirements they have to meet are just as diverse. Particularly in this area, in addition to tried-and-tested standard solutions, entirely new product developments are required. ebm-papst has both the experience and the expertise to help you find the perfect solution to even the most advanced problems.

All the facts at a glance:

- Large pump selection for specially defined applications
- Also available with asymmetric shaded-pole motor with sprayed motor coil and RAST 5 connection
- Wide motor range including asymmetric shaded-pole motors, single-phase AC external rotor motors and GreenTech EC motors

Technical values

Voltage:	115, 230 VAC
Air flow:	1–12 l/min 60 ml/min for dosing pumps
Power input:	18–125 W

The best example: *Condensate pump P 11.*

We have designed the condensate pump P 11 specially for a renowned white goods manufacturer. Where it is used: a newly designed heat pump dryer, which uses some 50 % less energy than conventional dryers thanks to its innovative energy recovery concept. Improved seals ensure that even at high inside pressure, the condensate is discharged into the wastewater only, not into the room air. A built-in level monitor reliably prevents any disasters. The tried-and-tested shaded-pole technology guarantees sufficient start-up torque from every rotor position, long service life and low manufacturing costs. Thus we have found the ideal solution for this application as well.



ebm-papst in Germany.

ebm-papst Mulfingen GmbH & Co. KG

Bachmühle 2
74673 Mulfingen
GERMANY
Phone +49 7938 81-0
Fax +49 7938 81-110
info1@de.ebmpapst.com

ebm-papst St. Georgen GmbH & Co. KG

Hermann-Papst-Straße 1
78112 St. Georgen
GERMANY
Phone +49 7724 81-0
Fax +49 7724 81-1309
info2@de.ebmpapst.com

ebm-papst Landshut GmbH

Hofmark-Aich-Straße 25
84030 Landshut
GERMANY
Phone +49 871 707-0
Fax +49 871 707-465
info3@de.ebmpapst.com



Berlin

Dipl.-Ing. (TH) Jens Duchow
Händelstraße 7
16341 Panketal
GERMANY
Phone +49 30 944149-62
Fax +49 30 944149-63
Jens.Duchow@de.ebmpapst.com



Bielefeld

Dipl.-Ing. (FH) Wolf-Jürgen Weber
Niehausweg 13
33739 Bielefeld
GERMANY
Phone +49 5206 91732-31
Fax +49 5206 91732-35
Wolf-Juergen.Weber@de.ebmpapst.com



Dortmund

Dipl.-Ing. (FH) Hans-Joachim Pundt
Auf den Steinern 3
59519 Möhnese-Völlinghausen
GERMANY
Phone +49 2925 800-407
Fax +49 2925 800-408
Hans-Joachim.Pundt@de.ebmpapst.com



Frankfurt

Dipl.-Ing. Christian Kleffmann
Dr.-Hermann-Krause-Straße 23
63452 Hanau
GERMANY
Phone +49 6181 1898-12
Fax +49 6181 1898-13
Christian.Kleffmann@de.ebmpapst.com



Halle

Dipl.-Ing. (TU) Michael Hanning
Lercheneck 4
06198 Salzdahlau / OT Lieskau
GERMANY
Phone +49 345 55124-56
Fax +49 345 55124-57
Michael.Hanning@de.ebmpapst.com



Hamburg

Ingenieurbüro Breuell GmbH
Ing. Dirk Kahl
Elektroingenieur
Grützmühlenweg 48
22339 Hamburg
GERMANY
Phone +49 40 538092-19
Fax +49 40 538092-84
Dirk.Kahl@de.ebmpapst.com



Heilbronn / Heidelberg

Dipl.-Ing. Mark Gartner
Gehrweg 12
74199 Unterheinriet
GERMANY
Phone +49 7130 404569-1
Fax +49 7130 404569-2
Mark.Gartner@de.ebmpapst.com



Kassel

Dipl.-Ing. (FH) Ralph Brück
Hoherainstraße 3 b
35075 Gladenbach
GERMANY
Phone +49 6462 4071-10
Fax +49 6462 4071-11
Ralph.Brueck@de.ebmpapst.com



Koblenz

Winfried Schaefer
Hinter der Kirch 10
56767 Uersfeld
GERMANY
Phone +49 2657 16-96
Fax +49 2657 16-76
Winfried.Schaefer@de.ebmpapst.com



Munich

Dipl.-Wirt.-Ing. (FH) Jens Peter
Landsbergerstraße 14
86932 Pürgen
GERMANY
Phone +49 8196 99877-54
Fax +49 8196 99877-55
Jens.Peter@de.ebmpapst.com



Nuremberg

Dipl.-Wirt.-Ing. (FH) Axel Resch
Dr.-August-Koch-Str. 1
91639 Wolframs-Eschenbach
GERMANY
Phone +49 9875 9783-170
Fax +49 9875 9783-171
Axel.Resch@de.ebmpapst.com



Offenburg

Dipl.-Ing. (FH) Ralf Braun
Hubeneck 21
77704 Oberkirch
GERMANY
Phone +49 7802 9822-52
Fax +49 7802 9822-53
Ralf.Braun@de.ebmpapst.com



Stuttgart

Dipl.-Ing. (FH) Rudi Weinmann
Hindenburgstraße 100/1
73207 Plochingen
GERMANY
Phone +49 7153 9289-80
Fax +49 7153 9289-81
Rudi.Weinmann@de.ebmpapst.com



Ulm

M.Sc. Reinhard Sommerreißer
Am Silbermannpark 10
86161 Augsburg
GERMANY
Phone +49 821 6610-7023
Fax +49 821 6610-7024
Reinhard.Sommerreisser@de.ebmpapst.com

Distributors



Frankfurt

R.E.D. Handelsgesellschaft mbH
Gutenbergstraße 3
63110 Rodgau - Jügesheim
GERMANY
Phone +49 6106 841-0
Fax +49 6106 841-111
info@red-elektromechanik.de
www.red-elektromechanik.de



Hamburg

Breuell + Hilgenfeldt GmbH
Grützmühlenweg 48
22339 Hamburg
GERMANY
Phone +49 40 538092-20
Fax +49 40 538092-84
info@breuell-hilgenfeldt.de



Munich

A. Schweiger GmbH
Ohmstraße 1
82054 Sauerlach
GERMANY
Phone +49 8104 897-0
Fax +49 8104 897-90
info@schweiger-gmbh.de
www.schweiger-gmbh.de

● Express Service-Center (1 to 5 pieces)



North

Breuell + Hilgenfeldt GmbH
Grützmühlenweg 48
22339 Hamburg
GERMANY
Phone +49 40 538092-20
Fax +49 40 538092-84
ebmpapst@breuell-hilgenfeldt.de



South

HDS Ventilatoren Vertriebs GmbH
Glaswiesenstraße 1
74677 Dörzbach
GERMANY
Phone +49 7937 80355-20
Fax +49 7937 80355-25
info@hds-gmbh.net
www.hds-gmbh.net



ebm-papst in Europe.



Europe



Austria

ebm-papst Motoren & Ventilatoren GmbH
Straubingstraße 17
4030 Linz
AUSTRIA
Phone +43 732 321150-0
Fax +43 732 321150-20
info@at.ebmpapst.com
www.ebmpapst.at



Belarus

ebm-papst Bel AgmbH
P.O. Box 117
220138 Minsk
BELARUS
Phone +375 17 3851556
Fax +375 17 3851556
info@by.ebmpapst.com
www.ebmpapst.by



Belgium

ebm-papst Benelux B.V.
Sales office Belgium-Luxemburg
Romeinsestraat 6/0101
Research Park Haasrode
3001 Heverlee-Leuven
BELGIUM
Phone +32 16 396-200
Fax +32 16 396-220
info@be.ebmpapst.com
www.ebmpapst.be



Bulgaria

ebm-papst Romania S.R.L.
Str. Tarnavei No. 20
500327 Brasov
ROMANIA
Phone +40 268 331859
Fax +40 268 312805
dudasludovic@xnet.ro



Croatia

ebm-papst Industries Kft.
Ezred u. 2.
1044 Budapest
HUNGARY
Phone +36 1 8722-190
Fax +36 1 8722-194
office@hu.ebmpapst.com



Czech Republic / Slovakia

ebm-papst CZ s.r.o.
Kaštanová 34a
620 00 Brno
CZECH REPUBLIC
Phone +420 544 502-411
Fax +420 547 232-622
info@ebmpapst.cz
www.ebmpapst.cz



Denmark

ebm-papst Denmark ApS
Vallensbækvej 21
2605 Brøndby
DENMARK
Phone +45 43 631111
Fax +45 43 630505
mail@dk.ebmpapst.com
www.ebmpapst.dk



Estonia

ebm-papst Oy, Eesti Filiaal
Kesk tee 13
Aaviku küla, Jüri Tehnopark
75301 Rae Vald, Harjumaa
ESTONIA
Phone +372 65569-78
Fax +372 65569-79
www.ebmpapst.ee



Finland

ebm-papst Oy
Puistotie 1
02760 Espoo
FINLAND
Phone +358 9 887022-0
Fax +358 9 887022-13
mailbox@ebmpapst.fi
www.ebmpapst.fi



France

ebm-papst sarl
ZI Nord - rue A. Mohler
BP 62
67212 Obernai Cedex
FRANCE
Phone +33 820 326266
Fax +33 3 88673883
info@ebmpapst.fr
www.ebmpapst.fr



Greece

Helcoma
Th. Rotas & Co OE
Davaki 65
17672 Kallithea-Attiki
GREECE
Phone +30 210 9513-705
Fax +30 210 9513-490
contact@helcoma.gr
www.helcoma.gr



Hungary

ebm-papst Industries Kft.
Ezred u. 2.
1044 Budapest
HUNGARY
Phone +36 1 8722-190
Fax +36 1 8722-194
office@hu.ebmpapst.com



Iceland

RJ Engineers
Stangarhyl 1a
110 Reykjavik
ICELAND
Phone +354 567 8030
Fax +354 567 8015
rj@rj.is
www.rj.is



Ireland

ebm-papst UK Ltd.
Chelmsford Business Park
Chelmsford Essex CM2 5EZ
UNITED KINGDOM
Phone +44 1245 468555
Fax +44 1245 466336
sales@uk.ebmpapst.com
www.ebmpapst.co.uk



AuBren Limited

Portlaoise Business & Technology Park
Mountrath Road
Portlaoise, Co. Laois
IRELAND
Phone +353 57 8664343
Fax +353 57 8664346
sales@ie.aubren.com
www.aubren.com



Italy

ebm-papst Srl
Via Cornaggia 108
22076 Mozzate (Co)
ITALY
Phone +39 0331 836201
Fax +39 0331 821510
info@it.ebmpapst.com
www.ebmpapst.it



Macedonia

ebm-papst Industries Kft.
Ezred u. 2.
1044 Budapest
HUNGARY
Phone +36 1 8722-190
Fax +36 1 8722-194
office@hu.ebmpapst.com

ebm-papst in Europe.

 **Netherlands**
ebm-papst Benelux B.V.
 Engelseweg 127
 5705 AC Helmond
NETHERLANDS
Phone +31 492 502-900
Fax +31 492 502-950
verkoop@nl.ebmpapst.com
www.ebmpapst.nl

 **Norway**
ebm-papst AS
 P.B. 173 Holmlia
 1203 Oslo
NORWAY
Phone +47 22 763340
Fax +47 22 619173
mailbox@ebmpapst.no
www.ebmpapst.no

 **Poland**
ebm-papst Polska Sp. z o.o.
 ul. Annopol 4A
 03236 Warszawa
POLAND
Phone +48 22 6757819
Fax +48 22 6769587
office@ebmpapst.pl
www.ebmpapst.pl

 **Portugal**
ebm-papst (Portugal), Lda.
 Centro Empresarial de Alverca
 Rua de Adarse, Vale D'Ervas
Corpo D / Fracção 3
2615-178 Alverca do Ribatejo
PORTUGAL
Phone +351 218 394 880
Fax +351 218 394 759
info@pt.ebmpapst.com
www.ebmpapst.pt

 **Romania**
ebm-papst Romania S.R.L.
 Str. Tarnavei Nr. 20
 500327 Brasov
ROMANIA
Phone +40 268 331859
Fax +40 268 312805
dudasludovic@xnet.ro

 **Russia**
ebm-papst Ural GmbH
 Posadskaja-Strasse, 23(E), 3
 620102 Ekaterinburg
RUSSIA
Phone +7 343 2338000
Fax +7 343 2337788
Konstantin.Molokov@ru.ebmpapst.com
www.ebmpapst.ur.ru

 ebm-papst Rus GmbH
 proezd 4529, vladenie 5, stroenie 1
 141000 Mytistschi, Oblast Moskau
RUSSIA
Phone +7 495 9807524
Fax +7 495 5140924
info@ebmpapst.ru
www.ebmpapst.ru




 **Serbia & Montenegro**
ebm-papst Industries Kft.
 Ezred u. 2.
 1044 Budapest
HUNGARY
Phone +36 1 8722-190
Fax +36 1 8722-194
office@hu.ebmpapst.com

 **Spain**
ebm-papst Ibérica S.L.
 Avda. del Sistema Solar, 29
 28830 San Fernando de Henares (Madrid)
SPAIN
Phone +34 91 6780894
Fax +34 91 6781530
ventas@ebmpapst.es
www.ebmpapst.es

 **Sweden**
ebm-papst AB
 Äggelundavägen 2
 17562 Järfälla
SWEDEN
Phone +46 10 4544400
Fax +46 8 362306
info@ebmpapst.se
www.ebmpapst.se

 **Switzerland**
ebm-papst AG
 Rütisbergstrasse 1
 8156 Oberhasli
SWITZERLAND
Phone +41 44 73220-70
Fax +41 44 73220-77
verkauf@ebmpapst.ch
www.ebmpapst.ch

 **Turkey**
Akantel Elektronik San. Tic. LTD. Sti.
 Atatürk Organize Sanayi
 Bölgesi 10007 SK. No.:6
35620 Cigli-Izmir
TURKEY
Phone +90 232 3282090
Fax +90 232 3280270
akantel@akantel.com.tr
www.ebmpapst.com.tr

 **Ukraine**
ebm-papst Ukraine LLC
 Lepse Boulevard, 4, Building 21
 03067 Kiev
UKRAINE
Phone +38 044 2063091
Fax +38 044 2063091
mail@ebmpapst.ua
www.ebmpapst.ua

 **United Kingdom**
ebm-papst UK Ltd.
 Chelmsford Business Park
 Chelmsford Essex CM2 5EZ
UNITED KINGDOM
Phone +44 1245 468555
Fax +44 1245 466336
sales@uk.ebmpapst.com
www.ebmpapst.co.uk

 ebm-papst Automotive & Drives (UK) Ltd.
 The Smithy
Fidlers Lane
East Ilsley, Berkshire RG20 7LG
UNITED KINGDOM
Phone +44 1635 2811-11
Fax +44 1635 2811-61
A&Dsales@uk.ebmpapst.com
www.ebmpapst-ad.com

ebm-papst in America and Africa.

America



Argentina

ebm-papst de Argentina S.A.
Hernandarias 148 Lomas del Mirador
Pcia. de Buenos Aires (1752)
ARGENTINA
Phone +54 11 46576135
Fax +54 11 46572092
ventas@ar.ebmpapst.com
www.ebmpapst.com.ar



Brasil

ebm-papst Motores Ventiladores Ltda.
Av. José Giorgi, 301 Galpões B6+B7
Condominio Logical Center
06707-100 Cotia - São Paulo
BRAZIL
Phone +55 11 4613-8700
Fax +55 11 4777-1456
vendas@br.ebmpapst.com
www.ebmpapst.com.br



Canada

ebm-papst Canada Inc.
1800 Ironstone Manor, Unit 2
Pickering, Ontario, L1W3J9
CANADA
Phone +1 905 420-3533
Fax +1 905 420-3772
sales@ca.ebmpapst.com
www.ebmpapst.ca



Mexico

ebm Industrial S. de R.L. de C.V.
Paseo de Tamarindos 400-A-5to Piso
Col. Bosques de las Lomas
Mexico 05120, D.F.
MEXICO
Phone +52 55 3300-5144
Fax +52 55 3300-5243
sales@mx.ebmpapst.com
www.ebmpapst.com.mx



USA

ebm-papst Inc.
P.O. Box 4009
100 Hyde Road
Farmington, CT 06034
UNITED STATES
Phone +1 860 674-1515
Fax +1 860 674-8536
sales@us.ebmpapst.com
www.ebmpapst.us



ebm-papst Automotive & Drives, Inc.
3200 Greenfield, Suite 255
Dearborn, MI 48120
UNITED STATES
Phone +1 313 406-8080
Fax +1 313 406-8081
automotive@us.ebmpapst.com
www.ebmpapst-automotive.us

Africa



South Africa

ebm-papst South Africa (Pty) Ltd.
P.O. Box 3124
1119 Yacht Avenue
2040 Honeydew
SOUTH AFRICA
Phone +27 11 794-3434
Fax +27 11 794-5020
info@za.ebmpapst.com
www.ebmpapst.co.za



ebm-papst in Asia and Australia.

Asia



China

ebm-papst Ventilator (Shanghai) Co., Ltd.
No. 418, Huajing Road
WaiGaoQiao Free Trade Zone
No. 2001, Yang Gao (N) Road
200131 Shanghai
P.R. of CHINA
Phone +86 21 5046-0183
Fax +86 21 5046-1119
sales@cn.ebmpapst.com
www.ebmpapst.com.cn



Hong Kong

ebm-papst Hong Kong Ltd.
Unit No. 13,9 / F
Technology Park, 18 On Lai Street
Siu Lek Yuen, Shatin N.T.
Hong Kong
P.R. of CHINA
Phone +852 2145-8678
Fax +852 2145-7678
info@hk.ebmpapst.com



India

ebm-papst India Pvt. Ltd.
26/3, G.N.T. Road, Erukkencherry
Chennai-600118
INDIA
Phone +91 44 25372556
Fax +91 44 25371149
sales@in.ebmpapst.com
www.ebmpapst.in



Indonesia

ebm-papst Indonesia
Representative Office
German Centre, 4th Floor, Suite 4470
Jl. Kapt. Subijono Dj. Bumi Serpong Damai
15321 Tangerang
INDONESIA
Phone +62 21 5376250
Fax +62 21 5388305
salesdept@id.ebmpapst.com



Israel

Polak Bros. Import Agencies Ltd.
9 Hamefalsim Street
Kiryat Arie, Petach-Tikva 49514
ISRAEL
Phone +972 3 9100300
Fax +972 3 5796679
polak@polak.co.il
www.polak.co.il



Japan

ebm-papst Industries Japan K.K.
12th Floor, Benex S-3 Bldg.
3-20-8 Shinyokohama, Kohoku-ku
222-0033 Yokohama
JAPAN
Phone +81 45 47057-51
Fax +81 45 47057-52
info@jp.ebmpapst.com
www.ebmpapst.jp



Korea

ebm-papst Korea Co. Ltd.
6F, Trutec Bldg.
B 6-2, Digital Media City (DMC)
Sangam-Dong, Mapo-Gu
Seoul 121-270
KOREA
Phone +82 2 366213-24
Fax +82 2 366213-26
info@kr.ebmpapst.com
www.ebmpapst.co.kr



Malaysia

ebm-papst Malaysia
Representative Office
Unit 12-2, Jalan USJ Sentral 3
Persiaran Subang, Selangor Darul Ehsan
47600 Subang Jaya
MALAYSIA
Phone +60 3 8024-1680
Fax +60 3 8024-8718
salesdept@my.ebmpapst.com



Singapore

ebm-papst SEA Pte. Ltd.
No. 23 Ubi Road 4
#06-00 Olympia Industrial Building
Singapore 408620
SINGAPORE
Phone +65 65513789
Fax +65 68428439
salesdept@sg.ebmpapst.com



Taiwan

ETECO Engineering & Trading Corp.
10F-1, No. 92, Teh-Wei Str.
Tsow-Inn District, Kaohsiung
TAIWAN
Phone +886 7 557-4268
Fax +886 7 557-2788
eteco@ms22.hinet.net
www.ebmpapst.com.tw



Thailand

ebm-papst Thailand Co., Ltd.
99/9 Moo 2, Central Chaengwattana Tower
14th Floor, Room 1402
Chaengwattana Road Bangtarad, Pakkret
11120 Nonthaburi
THAILAND
Phone +66 2 8353785-7
Fax +66 2 8353788
salesdept@th.ebmpapst.com



United Arab Emirates

ebm-papst Middle East FZE
PO Box 17755
Jebel Ali Free Zone / FZS1 / AP05
Dubai
UNITED ARAB EMIRATES
Phone +971 4 88608-26
Fax +971 4 88608-27
info@ae.ebmpapst.com
www.ebmpapst.ae



Vietnam

ebm-papst Vietnam
Representative Office
Room #102, 25 Nguyen Van Thu Street
District 1
Ho Chi Minh City
VIETNAM
Phone +84 8 39104099
Fax +84 8 39103970
linh.nguyen@vn.ebmpapst.com

Australia



Australia

ebm-papst A&NZ Pty Ltd.
10 Oxford Road
Laverton North, Victoria, 3026
AUSTRALIA
Phone +61 3 9360-6400
Fax +61 3 9360-6464
sales@ebmpapst.com.au
www.ebmpapst.com.au



New Zealand

ebm-papst A&NZ Pty Ltd.
102 Henderson Valley Road
Henderson, Auckland 1230
NEW ZEALAND
Phone +64 9 837-1884
Fax +64 9 837-1899
sales@ebmpapst.com.au
www.ebmpapst.com.au



ebm-papst
Mulfingen GmbH & Co. KG

Bachmühle 2
74673 Mulfingen
Germany
Phone +49 7938 81-0
Fax +49 7938 81-110
info1@de.ebmpapst.com

ebm-papst
St. Georgen GmbH & Co. KG

Hermann-Papst-Straße 1
78112 St. Georgen
Germany
Phone +49 7724 81-0
Fax +49 7724 81-1309
info2@de.ebmpapst.com

ebm-papst
Landshut GmbH

Hofmark-Aich-Straße 25
84030 Landshut
Germany
Phone +49 871 707-0
Fax +49 871 707-465
info3@de.ebmpapst.com

ebmpapst

The engineer's choice